



NOTE TO DESIGN ENGINEER: COMPLETE RISER WITH DEVICES, LOCATIONS/ROOMS.

NOTES:

1. RISER DIAGRAM ABOVE IS DIAGRAMMATIC AND IS SHOWN TO PROVIDE A GENERAL OVERVIEW OF MAJOR SYSTEM COMPONENTS AND INTERCONNECTIONS. THIS DIAGRAM IS NOT TO BE USED FOR FIELD INSTALLATION PURPOSES.
2. ALL WIRING SHALL BE IN CONDUIT, 3/4" MINIMUM. ALL WIRING SHALL BE PROVIDED ACCORDING TO MANUFACTURER'S RECOMMENDATIONS.
3. REFER TO THE FLOOR PLANS FOR DEVICE LOCATIONS AND QUANTITIES.
4. PROVIDE ALL ANCILLARY COMPONENTS, HARDWARE, POWER CONNECTIONS AND WIRING AS REQUIRED FOR A COMPLETE AND OPERATING INTERCOM SYSTEM.
5. PROVIDE 1" CONDUIT BETWEEN MASTER INTERCOM RACK AND NEAREST CONCENTRATOR, WITH (2) 4 PAIR CAT 5E (YELLOW) CABLES ROUTED TO MDF, TERMINATE TO 110 BLOCK (SEE ED.811) IN MDF RM.
6. RPM (REMOTE PROGRAM MONITOR) SHALL BE LOCATED IN WORKROOM OF EACH ADMIN AREA IN MULTIPLE SCHOOL BUILDINGS.
7. ANTENNA CABLE SHALL PASS FROM IC HEADEND THROUGH MDF TO ROOF MOUNTED ANTENNA, COORDINATE ROOF PENETRATION WITH ARCHITECT.
8. 2" CONDUIT MINIMUM, SIZED TO ACCOMMODATE ONE 25 PAIR CAT 3 OR 5E, TWO CAT 5E AND THE QUANTITY OF VOICE CABLES INDICATED. PROVIDE SPARE CAPACITY AS INDICATED ON CONCENTRATOR CABLING DETAILS.
9. PROVIDE DATA DROP FROM NEAREST DATA SWITCH (MDF/IDF/CONCENTRATOR).

CHICAGO PUBLIC SCHOOLS CAPITAL IMPROVEMENT PROGRAM INFORMATION TECHNOLOGY SERVICES INFRASTRUCTURE STANDARDS NEW CONSTRUCTION INTERCOM SCHEMATIC RISER DIAGRAM														
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%; font-size: small;">DESIGNED CPS</td> <td rowspan="4" style="width: 20%;"></td> <td rowspan="4" style="width: 20%; font-size: small;">PROJECT NUMBER</td> <td rowspan="4" style="width: 10%;"></td> </tr> <tr> <td>DRAWN CPS</td> </tr> <tr> <td>CHECKED CPS</td> </tr> <tr> <td>APPROVED CPS</td> </tr> <tr> <td style="font-size: x-small;">NO. DATE REVISION BY</td> <td></td> <td style="font-size: x-small;">SCALE NONE</td> <td style="font-size: x-small;">DATE 04/23/18</td> </tr> </table>	DESIGNED CPS		PROJECT NUMBER		DRAWN CPS	CHECKED CPS	APPROVED CPS	NO. DATE REVISION BY		SCALE NONE	DATE 04/23/18	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="font-size: x-small;">SHEET NO.</td> </tr> <tr> <td style="font-size: large; font-weight: bold;">ED.803</td> </tr> </table>	SHEET NO.	ED.803
DESIGNED CPS					PROJECT NUMBER									
DRAWN CPS														
CHECKED CPS														
APPROVED CPS														
NO. DATE REVISION BY		SCALE NONE	DATE 04/23/18											
SHEET NO.														
ED.803														